

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

★ • ★ • ★ •

In the Matter of:

THE APPLICATION OF TREE-LINE UTILITIES,)
INC., D/B/A TREE-LINE ESTATES SEWAGE)
TREATMENT PLANT FOR A RATE ADJUSTMENT) CASE NO. 9100
PURSUANT TO THE ALTERNATIVE RATE FILING)
PROCEDURE FOR SMALL UTILITIES)

O R D E R

On July 23, 1985, the Commission notified Tree-Line Utilities, Inc., d/b/a Tree-Line Estates Sewage Treatment Plant ("Tree-Line"), that it was in violation of KRS 278.185 because it failed to give proper notice of the proposed rates to its customers. Tree-Line was required to notify each affected customer by individual mailing to comply with this Statute.

Following that notice, the Commission has received numerous protest letters and requests for public hearing concerning this case. We are of the opinion that a public hearing should be held to allow consumers the opportunity to comment and to allow the introduction of evidence concerning the rates of Tree-Line.


IT IS THEREFORE ORDERED that a hearing be and it hereby is scheduled on the 16th day of October, 1985, at 9:00 a.m., Eastern Daylight Time, in the Commission's offices, Frankfort, Kentucky.

IT IS FURTHER ORDERED that Tree-Line shall give notice of the hearing in accordance with the provisions of 807 KAR 5:011, Section 8(5).

IT IS FURTHER ORDERED that Tree-Line be represented at the hearing by appropriate officials and be ready to respond to any questions which may be asked.

Done at Frankfort, Kentucky, this 2nd day of October, 1985.

PUBLIC SERVICE COMMISSION


For the Commission

ATTEST:

Secretary